

**Postgraduate  
Medicine**

# A SPECIAL REPORT

A Publication of The McGraw-Hill Companies

DECEMBER 2004

THE EXPERT CONSENSUS GUIDELINE SERIES

## TREATMENT OF BIPOLAR DISORDER 2004

PAUL E. KECK, M.D.  
ROY H. PERLIS, M.D.  
MICHAEL W. OTTO, PH.D.  
DANIEL CARPENTER, PH.D.  
RUTH ROSS, M.A.  
JOHN P. DOCHERTY, M.D.

OFFERED AS A CME ACTIVITY BY  
THE ANNENBERG CENTER FOR HEALTH SCIENCES  
IN JOINT-SPONSORSHIP WITH EXPERT KNOWLEDGE SYSTEMS, LLC

## *The Expert Consensus Guideline Series*

# Treatment of Bipolar Disorder 2004

**Paul E. Keck, Jr., M.D.**

*University of Cincinnati College of Medicine*

**Roy H. Perlis, M.D.**

*Massachusetts General Hospital*

**Michael W. Otto, Ph.D.**

*Boston University*

**Daniel Carpenter, Ph.D.**

*Comprehensive NeuroScience, Inc.*

**Ruth Ross, M.A.**

*Ross Editorial*

**John P. Docherty, M.D.**

*Comprehensive NeuroScience, Inc.*

*Editing and Design.* David Ross, M.A., M.C.E., Ross Editorial

*Acknowledgments.* The authors thank all of the experts who completed the survey so carefully and acknowledge Paola Vega, of Expert Knowledge Systems, for managing the data collection.

*Reprints.* Reprints may be obtained by sending requests with a shipping/handling fee of \$19.95 per copy to: Comprehensive NeuroScience, Inc., 21 Bloomingdale Road, White Plains, NY 10605. For pricing on bulk orders of 50 copies or more, please call Expert Knowledge Systems at (914) 997-4005. For more information on the Expert Consensus Guidelines, visit [www.psychguides.com](http://www.psychguides.com).

*Disclaimer.* Any set of guidelines can provide only general suggestions for clinical practice and practitioners must use their own clinical judgment in treating and addressing the needs of each individual patient, taking into account that patient's unique clinical situation. There is no representation of the appropriateness or validity of these guideline recommendations for any given patient. The developers of the guidelines disclaim all liability and cannot be held responsible for any problems that may arise from their use.

Copyright ©2004 by Expert Knowledge Systems, LLC, all rights reserved.

## *The Expert Consensus Panel for Bipolar Disorder*

The following participants in the Expert Consensus Survey were identified from several sources: recent research publications and funded grants, participants in previous expert consensus surveys on the treatment of bipolar disorder, and individuals who have worked on other mood disorder guidelines. Of the 50 experts to whom we sent the bipolar disorder survey, 47 (94%) replied. The recommendations in the guidelines reflect the aggregate opinions of the experts and do not necessarily reflect the opinion of each individual on each question.

Michael Allen, M.D.  
*University of Colorado School of Medicine*

Rif S. El-Mallakh, M.D.  
*University of Louisville School of Medicine*

Roger McIntyre, M.D.  
*University of Toronto*

Lori Altshuler, M.D.  
*University of California, Los Angeles*

Robert Findling, M.D.  
*University Hospitals of Cleveland*

David Miklowitz, Ph.D.  
*University of Colorado, Boulder*

Claudia Baldassano, M.D.  
*University of Pennsylvania*

Marlene Freeman, M.D.  
*University of Arizona College of Medicine*

Philip Mitchell, M.D.  
*University of New South Wales*

Ross J. Baldessarini, M.D.  
*Harvard Medical School*

Mark Frye, M.D.  
*David Geffen School of Medicine at UCLA*

Charles B. Nemeroff, M.D.  
*Emory University School of Medicine*

Mark S. Bauer, M.D.  
*Brown University*

John Geddes, M.D.  
*University of Oxford*

C. F. Newman, Ph.D.  
*University of Pennsylvania*

Charles L. Bowden, M.D.  
*University of Texas Health Sciences Center*

Joseph F. Goldberg, M.D.  
*The Zucker Hillside Hospital*

Robert M. Post, M.D.  
*National Institute of Mental Health*

Kathleen Brady, M.D.  
*Medical University of South Carolina*

Guy Goodwin, M.D.  
*University of Oxford*

David Printz, M.D.  
*Columbia University*

Joseph R. Calabrese, M.D.  
*Case Western Reserve University*

Robert M.A. Hirschfeld, M.D.  
*University of Texas Medical Branch*

David A. Solomon, M.D.  
*Brown University School of Medicine*

Gabrielle Carlson, M.D.  
*Stony Brook University School of Medicine*

Philip G. Janicak, M.D.  
*Rush University Medical Center*

Stephen Strakowski, M.D.  
*University of Cincinnati*

Kiki Chang, M.D.  
*Stanford University*

James W. Jefferson, M.D.  
*Madison Institute of Medicine*

Patricia Suppes, M.D.  
*University of Texas Southwestern Medical Center*

Roy Chengappa, M.D.  
*Western Psychiatric Institute & Clinic*

David Kahn, M.D.  
*Columbia University Medical Center*

Alan C. Swann, M.D.  
*University of Texas Medical School at Houston*

David Daniel, M.D.  
*Bioniche Development, Inc.*

Terence A. Ketter, M.D.  
*Stanford University School of Medicine*

Michael E. Thase, M.D.  
*University of Pittsburgh Medical Center*

John M. Davis, M.D.  
*University of Illinois*

Robert Kowatch, M.D.  
*Cincinnati Children's Hospital Medical Center*

Eduard Vieta, M.D., Ph.D.  
*Hospital Clinic, University of Barcelona*

Melissa Del Bello, M.D.  
*University of Cincinnati*

Dominic Lam, Ph.D.  
*Institute of Psychiatry*

John Zajecka, M.D.  
*Rush University Medical Center*

Steven L. Dubovsky, M.D.  
*University of Colorado*

Lauren Marangell, M.D.  
*Baylor College of Medicine*

Carlos Zarate, M.D.  
*National Institute of Mental Health*

David L. Dunner, M.D.  
*University of Washington*

Susan McElroy, M.D.  
*University of Cincinnati College of Medicine*

## ***Contents***

Expert Consensus Panel . . . . .	2
Introduction: Methods, Summary, and Commentary . . . . .	4

### ***GUIDELINES***

#### **I. TREATMENT OF ACUTE MANIA**

Guideline 1: Initial Treatment for First Manic Episode . . . . .	20
Guideline 2: Inadequate Response to Initial Strategy for First Manic Episode . . . . .	23
Guideline 3: Adequate Dose of Mood Stabilizing Agents . . . . .	27

#### **II. TREATMENT OF ACUTE BIPOLAR DEPRESSION**

Guideline 4: Initial Treatment for Bipolar Depression . . . . .	28
Guideline 5: Inadequate Response to Initial Strategy for Bipolar Depression . . . . .	32

#### **III. GENERAL CLINICAL MANAGEMENT AND MAINTENANCE TREATMENT**

Guideline 6: Essential Properties of a Mood Stabilizer . . . . .	36
Guideline 7: Maintenance Treatment After a Manic Episode . . . . .	38
Guideline 8: Maintenance Treatment After a Depressive Episode in Bipolar I Disorder . . . . .	40
Guideline 9: Maintenance Treatment in Bipolar II Disorder . . . . .	41
Guideline 10: Preferred Antipsychotics for Long-Term Maintenance . . . . .	42
Guideline 11: Preferred Psychosocial Strategies for Long-Term Maintenance . . . . .	42
Guideline 12: Strategies for Breakthrough Mania . . . . .	43
Guideline 13: Strategies for Breakthrough Depression . . . . .	44
Guideline 14: Psychosocial Treatment Issues . . . . .	46
Guideline 15: Key Psychosocial Treatment Elements . . . . .	47

#### **IV. OTHER TREATMENT ISSUES**

Guideline 16: Managing Special Problems . . . . .	48
---	----

### ***SURVEY RESULTS***

Expert Survey Results and Guideline References . . . . .	51
--	----

### ***GUIDE FOR PATIENTS AND FAMILIES*** . . . . .109

### ***CONTINUING MEDICAL EDUCATION*** . . . . .117